

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	452702	(equivalent or equal or "same" or identical or zero or balanc\$3 or opposite or offset or null) near4 (disparity or cds or (codeword adj digital) or dsv or (digital adj sum) or ((number or run or running) near2 (one or "1") or (zero or "0")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 12:19
L2	7521	(equivalent or equal or "same" or identical or zero or balanc\$3 or opposite or offset or null) near4 (disparity or cds or (codeword adj digital) or dsv or (digital adj sum) or ((number or run or running) near2 (one or "1") or (zero or "0")) near5 (codeword or code\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 12:29
L3	408	(equivalent or equal or "same" or identical or zero or balanc\$3 or opposite or offset or null) near4 (disparity or cds or (codeword adj digital) or dsv or (digital adj sum) or ((number or run or running) near2 (one or "1") or (zero or "0")) near5 ((codeword or code\$1) near2 (two or n or m or k or plural or plurality))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 12:32
L4	91	3 and "341"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 12:31
L5	89	(equivalent or equal or "same" or identical or zero or balanc\$3 or opposite or offset or null) near4 (disparity or cds or (codeword adj digital) or dsv or (digital adj sum) or ((number or run or running) near2 (one or "1") or (zero or "0")) near5 ((codeword or code\$1) near2 (two or n or m or k or plural or plurality or "2" or group)) and 341/5\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 12:39

## EAST Search History

L6	92	(equivalent or equal or "same" or identical or zero or balanc\$3 or opposite or offset or null) near4 (disparity or cds or (codeword adj digital) or dsv or rds or (digital adj sum) or ((number or run or running) near2 (one or "1") or (zero or "0")))) near5 ((codeword or code\$1) near2 (two or n or m or k or plural or plurality or "2" or group)) and 341/5\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 15:06
L7	24594	group adj2 "9"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 14:39
L8	4	group adj2 (codewords or code) near4 (zero or "0") near2 (disparity or rds)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 14:40
L9	5	(group adj2 (codewords or code)) near6 (zero or "0") near2 (disparity or rds or cds)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 14:42
L10	16	((group or n or k or m) adj2 (codewords or code)) near6 (zero or "0" or null or balanc\$3) near3 (disparity or rds or cds)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 15:02
L11	5	((precod\$3 or precod\$3) adj7 cod\$3) and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 15:06
L12	5	((precod\$3 or precod\$3) near7 cod\$3) and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 15:06

## EAST Search History

L13	13	(equivalent or equal or "same" or identical or zero or balanc\$3 or opposite or offset or null) near4 (disparity or cds or (codeword adj digital) or dsv or rds or (digital adj sum) or ((number or run or running) near2 (one or "1" or (zero or "0")))) near5 ((codeword or code\$1) near2 (two or n or m or k or plural or plurality or "2" or group)) and ((precod\$3 or (pre adj cod\$3) near7 cod\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 15:09
-----	----	--	---	----	----	------------------